



## NIPPON PAINT TIMBER FINISH THINNER

### Recommended Uses

It can be used as a general-purpose thinner for thinning of products like NC-based wood finishes, various modified enamels and it can also, be used as a solvent blend for cleaning of substrate and painting tools.

### Composition

A blend of Aromatic Hydro-Carbons, Esters and Ketones.

### Application Methods

**Conventional Air Spray** : Can be used upto 50% by volume of paint

### Product Description

Nippon Timber Finish Thinner is a blend of Aromatic Hydrocarbons, Esters and Ketones.



### Properties:



**Colour**  
Transparent



**Type of Product:**  
Single Pack Air Drying



**Density:**  
0.8 – 0.82 Kg/L

## Safety, Health and Environmental Information

Highly flammable  
Explosive when mixed with oxidizing substances.  
Harmful by inhalation  
Harmful if swallowed  
Irritating to eyes  
Irritating to respiratory system  
Danger of serious damage to health by prolonged exposure  
Keep out of the reach of children.  
Keep container in a cool place.  
Keep container in a well-ventilated place.  
Keep away from oxidizing agents, strong alkaline and strongly acidic materials in order to avoid exothermic reaction.  
Keep away from heat.  
Keep away from sources of ignition - no smoking.  
Keep away from combustible material.  
Do not breathe vapor.  
Avoid contact with skin.  
Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Use proper protective equipment.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
In case of fire, use carbon dioxide, alcohol-resistant foam or dry powder. Never use water in jets.  
Use only in well-ventilated areas.  
If swallowed, do not induce vomiting. Seek medical advice immediately and show the container or label.



Remarks

**Clean Up** : Also recommended as a cleaning solvent or substrate and tools

**Standard Packing** : 0.91L,3.64L & 20 L Standard Pack

## Note

The above information is given to the best of our knowledge based on laboratory tests and practical experience. However, since we cannot anticipate or control the many conditions under which our products may be used, we can only guarantee the quality of the product itself.

We reserve the right to alter the given data without prior notice.